



**DynaLock Corporation**  
 705 Emmett Street  
 Bristol, CT 06010  
**Phone:** 860.582.4761 • **Fax:** 860.585.0338  
**Email:** [info@dynalock.com](mailto:info@dynalock.com) • **Website:** [www.dynalock.com](http://www.dynalock.com)

## 2013 Series 1200 Lbs. Electromagnetic Gate Lock Holding Force



The 2013 Series is a full size 1200 lbs. holding force electromagnet. It is designed for high security on sliding and swinging gates, or any door subjected to the elements. Specify for outdoor commercial, industrial, institutional, or residential openings.

The 2013 is fully sealed with a 1/2" threaded conduit nipple for wiring from the side. Specify RWE option for wiring from back without a nipple (ex: mounting over a box). Optional Dynastat feature signals magnetic bond status. This allows integrated remote monitoring of the lock, reducing additional parts and labor.

The coil and housing assembly mounts rigidly to the post or frame while the armature mounts to the gate in a manner that allows it to pivot slightly to compensate for gate misalignment. When the gate is closed and the lock is energized the armature is magnetically bonded to the lock face, thus securing the gate without utilizing any moving parts. Specify the GLB option for an adjustable "Z" bracket, designed to mate with the armature or lock housing. The 2013 Lock housing mounts with easy to use face-drilled holes.

- For Slide or Swing Installations
- Custom Applications
- Weather Resistant
- Lifetime Warranty

Results 1 - 25 of 96

<u>Item #</u>	<u>Installations</u>	<u>Input DC Voltage</u>	<u>Dynastat Force Sensor</u>	<u>Gate Lock Bracket</u>	<u>Rear Wire Exit</u>	<u>Finish</u>	<u>Holding Force</u>	<u>Lock Weight</u>	<u>D- Lock Size</u>	<u>H- Lock Size</u>	<u>L- Lock Size</u>	<u>D- Armature Size</u>	<u>H- Armature Size</u>	<u>L- Armature Size</u>
2013-DYN-GLB-RWE-US28	Swing Gate	12 V	Yes	Yes - Fully Adjustable "Z" Bracket	Yes	Standard-Satin Aluminum	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
2013-DYN-GLB-RWE-US3	Swing Gate	12 V	Yes	Yes - Fully Adjustable "Z" Bracket	Yes	Bright Brass	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
2013-DYN-GLB-RWE-US4	Swing Gate	12 V	Yes	Yes - Fully Adjustable "Z" Bracket	Yes	Satin Brass	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
2013-DYN-GLB-RWE-US10	Swing Gate	12 V	Yes	Yes - Fully Adjustable "Z" Bracket	Yes	Light Bronze	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
2013-DYN-GLB-RWE-US13	Swing Gate	12 V	Yes	Yes - Fully Adjustable "Z" Bracket	Yes	Medium Bronze	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in



<u>DYN-GLB-US4</u>	<u>Swing Gate</u>	12 V	Yes	<u>Adjustable "Z" Bracket</u>	No	Satin Brass	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB-US10</u>	<u>Swing Gate</u>	12 V	Yes	<u>Yes - Fully Adjustable "Z" Bracket</u>	No	Light Bronze	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB-US13</u>	<u>Swing Gate</u>	12 V	Yes	<u>Yes - Fully Adjustable "Z" Bracket</u>	No	Medium Bronze	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB-US10B</u>	<u>Swing Gate</u>	12 V	Yes	<u>Yes - Fully Adjustable "Z" Bracket</u>	No	Dark Bronze	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB-US19</u>	<u>Swing Gate</u>	12 V	Yes	<u>Yes - Fully Adjustable "Z" Bracket</u>	No	Black Satin	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB-US26</u>	<u>Swing Gate</u>	12 V	Yes	<u>Yes - Fully Adjustable "Z" Bracket</u>	No	Bright Chrome	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in
<u>2013-DYN-GLB2-US28</u>	<u>Slide Gate</u>	12 V	Yes	<u>Yes - "L" Brackets</u>	No	Standard-Satin Aluminum	1200 lb	9 lb	1 1/2 in	2 1/2 in	9 1/4 in	1/2 in	2 3/8 in	7 3/8 in

Results 1 - 25 of 96