



**ASSA ABLOY**

Experience a safer  
and more open world



# APL Series Cylindrical Status Indicator Locks



# APL Series Cylindrical Indicator Locks



ASSA ABLOY



## Specifications:

**Door Preparation** – Requires standard 2-1/8" (54mm) bore with through bolts.

**Backset** – 2-3/8" (60mm) or 2-3/4" (70mm)

**Door Thickness** – Fits 1-3/8" to 1-3/4", factory set for 1-3/4". 1-3/8" doors require the use of spacers.

**Latch** – Stainless Steel 1/2" (13mm) throw, UL Listed, spring latch

**Latch Front** – 1-1/8" x 2-1/4" for 2-3/4" (70mm) backset.

**Strike** – 4-7/8" (ANSI) (124mm)

**Handing** – non-handed

**Packaging** – 6 per case

**Warranty** – Three year warranty

## Finishes:

Arrow Code	BHMA	U.S. Equiv.	Finish Description	
605	605	US3	Bright Brass	
613E	613E	US10BE	Dark Oxidized Satin Bronze Equivalent	
626	626	US26D	Satin Chromium Plated	
BSP	BSP	-	Black Suede Powder Coat	

## Certification & Compliance:




- 2-3/4" Backset: Certified ANSI/BHMA A156.2, Series 4000 Grade 1.
- 2-3/8" Backset: Certified ANSI/BHMA A156.2, Series 4000 Grade 2.
- UL/cUL Listed for use on 3 hour, A label or lesser doors
- Lever conforms to ADA clear opening width requirements of ANSI A117.1
- Lever complies with California State Reference Code (Formerly Title 19, California State Fire Marshal Standard) with return to within 1/2" (13mm) of door face

## Professional Replacement Products


Eliminate potentially embarrassing situations and provide peace of mind with the APL Series Grade 1 cylindrical lock with status indicator. With a visual display of the occupancy status, the indicator notifies individuals if the door is locked or unlocked, providing an increased level of privacy.

## Design:


ST



BRT



TT



## WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov).



# APL Series Cylindrical Indicator Locks



ASSA ABLOY

Professional Replacement Products

## Function:


ARROW CODE	FUNCTION	DESCRIPTION
APL02	Privacy	 <p>Latch operated by lever either side except when outside lever is locked by pushing inside button. Pushing inside button changes indicator display status outside. Outside lever unlocked by turning inside lever, using emergency coin turn, or closing door. Inside lever always operates latch.</p>
APL42	Privacy	 <p>Latch operated by either lever unless outside lever is locked by pushbutton inside. Pushing inside button changes indicator display status outside. Rotating inside lever and /or closing door unlocks outside lever and changes indicator display status outside. Emergency key/tool (provided) inserted and turned in outside lever will unlock door from outside. Inside lever always active. Outside lever rigid when locked in position.</p>

## Latches:

### Spring Latch

Q73


2-3/4" Backset



### Spring Latch


R22

2-3/8" Backset



## Door Thickness:


The APL02 installs on 1-3/4" thick doors standard. It can also be used on 1-3/8" thick doors by adding adapter plates. To order specify adapter plate kit model number APK-2.



APK-2


## Strikes:

### #306 - Standard




ANSI Strike

### #300




T-Strike

### #302



Full Lip Strike -  
Square Corner

### #303



Full Lip Strike -  
Radius Corner

## Ordering Example:

Series	Function	Design	Finish	Strike	Latch
APL	02	ST	626	306	Q73

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



Arrow Lock & Door Hardware  
225 Episcopal Road  
Berlin, CT 06037  
Customer Service: 1-800-327-8539  
Technical Product Support: 1-800-327-8539 X2  
[www.arrowlock.com](http://www.arrowlock.com)



This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov).