# ByteBrothers Cable and Device Testers













PROFESSIONAL GRADE TOOLS THAT ARE EASY TO USE

REVOLUTIONARY TECHNOLOGY (YOU CAN AFFORD)











### QUESTION: HOW DO TOOLS GROW YOUR LOW VOLTAGE BUSINESS?

### ANSWER: QUALITY, AWARD WINNING BYTE BROTHERS TESTERS GROW YOUR BUSINESS IN TWO WAYS.

1. The right tool saves time, money and increases your profits. Here are some examples of what the right tool can do for you...

Cable problems? The Real World Certifier manages your cables from "distance to a short" to "excessive propagation delay."

Switch problems? The Power Panel tells you if a switch is ON; the speed; and if the switch has PoE available to power devices.

CCTV down? The Low Voltage Pro, among its many tests, displays the cameras's video signal amplitude.

2. The right data to your customer is your most valuable service... for example...

**Proof of test.** Both the Real World Certifier and the Low Voltage Pro provide you and your customer printed reports of the results you collected during cable installation. The reports document testing and are helpful if there are in future problems. **Ethernet devices drawing too much power.** The Power Panel (inline model) measures the power draw (in watts) of the VoIP phone, IP camera or access point that you are installing or maintaining. Too much power draw is the number one reason why networks using Power over Ethernet (PoE) fail.

CREAL WORLD
CERTIFIER 2










POCKET RJ45 / COAX TESTER

HOW TO CHOOSE YOUR TESTER


CAT5/6 CABLE INSTALL AND MAINT	POMES PANEL		
VOIP PHONE, IP SECURITY CAMERA, ACCESS POINT INSTALL AND MAINT			ON A
GENERAL ETHERNET DEVICE INSTALL AND MAINT	POORE FORE		
INFORMATION TECHNOLOGY (IT) MANAGER	POMES PARKS		
NETWORK MANAGER	POWER FAMILY STATES		
CCTV SECURITY CAMERA INSTALL AND MAINT			







### TESTS BOTH CABLES AND DEVICES



LVPRO 1 LVPRO 2 CABLE TEST

WALL JACK (1) CABLE TEST PACK **ORDER** 

CABLE TEST PACK **ORDER** LVPRO 3

PRINT RESULTS

**BATTERY LOAD** 

**CCTV SIGNAL** 

PHONE VOLTS

LENGTH-RLQ PACK

PoE VOLTS

10/100/1000

ALERT LEDS

PORT BLINK

SPEAKER **90P** 

SPEAKER 7.1

WALL JACK

TONE LOCATOR

PRINT RESULTS **BATTERY LOAD** CCTV SIGNAL PHONE VOLTS PoE VOLTS 10/100/1000 LENGTH-RLQ PACK ALERT LEDS TONE LOCATOR PORT BLINK SPEAKER **?OP** SPEAKER 7.1 WALL JACK CABLE TEST PACK

> **ORDER** LVPRO 3SR



LOW VOLTAGE

**CABLETEST** +6 APPS

+ LENGTH-RLQ PACK +6 APPS

**CABLE TEST** + LENGTH-RLQ PACK + 12 APPS

+ LENGTH-RLQ PACK + 12 APPS + RJ45 SMART REMOTES (8)

3sr

**CABLE TEST** 

### **MODEL 1TEST APPS**



WALL JACK (1)

CABLETEST PACK

**ORDER** 

### **CABLETEST PACK (ALLTYPES)**


Cable diagram, Pass/Fail, Delay, Skew, Ohms 1% HQ Length included with LVPro 2 and 3.



ID only or test/ID in one pass (Smart Remotes). RJ45 and coax. Requires remote kit(s).



Locate speakers by audibly "popping" them. Alligator clips included with all LVPRO Models.



Especially designed to properly map and label A/V speaker wires. Requires remote kit.

#### PORT BLINK CABLE DETECTION Locate a cable connection to a switch port by

blinking the switch's Link LED.

### **TONE CABLE DETECTION \***

Place a tone on one end and detect it on the far end. Requires remote tone probe.

#### **ALERT LEDS (LINKS, VOLTS)** ALERT

Two LEDs quickly alert you to an active switch connection or voltage on the line.

### MODEL 3 ADDS THESE TEST APPs



### 10/100/1000 DETECTION/DISPLAY

Plug into any active port (computer, switch, VoIP, access point) and display its capabilities.

### PoE / PAIRS

Detect PoE voltage and display its amplitude and location on the cable (midspan, endspan or both).

### CCTV / Vpp (peak to peak voltage)

CCTV systems require a minimum of 1Vpp to DVR. Measure and display Vpp of video signal.

#### **PHONE**

Detect central office telephone connections. Display voltage and cable location (up to 4 phones).

### **LOADED BATTERY TEST**

Test alarm system and other backup batteries by doing a loaded battery test.

### PRINT UP TO 250 REPORTS

Store for later printing up to 250 tests (all cable types). USB and software included.



### MODEL 2 ADDS THIS TEST APP

### **LENGTH-RLQ PACK**

Get perfect length, all wire types. Use built-in VOP values or calibrate with your cable. Adds length readout to Cable Test App (cable length, distance to open or short). Also includes RLQ (below).



Included with the Length-RLQ APP, Return oss Quality tests for load mismatches that affect the wire's power and data transfer capability.



**ACCESSORIES** 



COAX IDs RJ45/COAX IDs LVP-COAX LVP-RJ45COAX



R.145 IDs LVP-RJ45




SMART RJ45 IDs TEST/ID ONE PASS (INCLUDED IN 3SR KIT)



SPEAKER IDS LVP-SPEAKER




TONE PROBE LVP-P



### POWER PANEL

### CAT5/6 DVM (JACK AND POETESTER)

POWER PANEL DVM MODELS TO CHOOSE FROM!



STANDARD UNIT FEATURES P/N POE1000

Scans pins and displays: PoE power: Volts, watts, cable pair location, end / midspan. Advertised data switch speed (10,100,1000 MB/s), duplex. Cable pair location. Phones (digital, analog) INTERACTIVE BUTTONS: VoIP phone and IP camera load simulator. Link pulse transmit button. OTHER FEATURES: Tone generation Port beacon, Auto shutoff

9V battery (included).

**INLINE FEATURES** P/N POE1000IL All of the features of the Standard model plus: POWER PASS THRU Two jacks allow PoE power to be passed to the PoE device so it can be tested. POWER MEASUREMENT Placed INLINE between two devices, the power draw of the device can be measured in watts. Too much power draw is the number one reason for IP/PoE network failure.

TONE STAR FEATURES P/N POE1000ILT All of the features of the INLINE model plus: AN ILLUMINATED PROBE The Tone Star model includes a full featured, filtered probe for tracing tones (wire location). The probe features an ultrabright LED lighted tip, filtering to block fluorescent hum. volume control, 2 status LEDs, adapters for alarm wire, RJ11, RJ45 and coax connectors.

MODEL POE1000ILT POWER PANEL TONE STAR

"The power panel lets you know what's there before you plug in."

"If you install VoIP or camera systems this will become your main tool."

WHY BUY: Want to be your own man and know what's on a jack during an install? Network, telephone, PoE. Tired of chasing other people around and asking? And the "inline" model even measures PoE power (watts).

THE OLD WAY **OF TESTING FOR VOLTAGE** AND POWER

**TEDIOUS • TASTELESS** 







Made in the USA Patent pending Copyright 2010 Byte Brothers, Inc.

THE NEW WAY **OF TESTING FOR VOLTAGE** AND POWER

**SMART • ACCURATE** 



### CABLE AND POWER KITS

Special pricing when you combine the Power Panel with the Réal World Certifier.

CPK1000 RWC1000K and POE1000 CPK1000IL RWC1000K and POE1000IL BOTH PRINTING E AND NON-PRINTING E AND PELS AVAILABLE


# REAL WORLD\*\* CERTIFIER 2



Cable Category CAT 3,5,5E,6




Speed testing 10MB,100MB, 1000MB




Data levels of real live data (from any device)



Length (real TDR) Propagation delay and skew



Splits, opens, shorts, wire map.



Network device testing including inline

WHY BUY: In addition to length, open, shorts and split pairs, the RWC looks at the speed parameters of a cable. Add this to the network tests and the "proof-of-test" reports and you have valuable services to offer your customer.



Bytestork rest and controlled Model: RWC1000K Patch/Solid Length Delay 21 ns TOLERANCE 297 Ft. EVEL 1: 1 GIG 10% TOLERANCE CEPT LEVEL 2: 1 GIG 10% TOLERANCE Reading: 'Cable # 1' www.byrebrothers.com CEHT LEVEL 7: 1 GIG. 19% TOLERANCE CERT LEVEL 2: 1 GIG. 19% TOLERANCE DELAY OF OVERN OF Length DELAY OK SKEW OK NEXT/FEXT PASSED (DIGITAL TEST) DELAY OK SKEW OK 4 NS SKEW 11 NS SKEW === <12 SPLIT OK MAP OK 21 NS SKEN === <36 12> 300' 36> 304' ONS SKEN === ×45 127 SKEW 367 === <78 45> 311' 457 WIREMAP: 457 NS DELAY 78> 297 187 463 NS DELAY 474 NS DELAY 452 NS DELAY 127 PROPAGATION Cable Category (Digital Test) DELAY (PER PAIR) 367 457 CAT6 CAT5E RW Certification #1 (Cable) CAT5 CAT3 1000MB/S Data Signal Levels (Port) 100MB/S 10MB/S S AND DISPLANT PAIR 7,8 VIR 4,5 Data Min ¿ (Port) 1000MB/S CABLE CATEGORY \*DIGITAL TEST Made in the USA © 2010 Byte Brothers, Inc. Separate toner probe included See it in action. Call for our free 1 hour DVD. 800-999-2983 (USA) or cs@bytebrothers.com **RWC1000K - PRINTING** 

**RWC1000NP - NON PRINTING** 

\* Requires a PC with Microsoft's<sup>®</sup>Excel.<sup>®</sup>

DUPLEX AND POE

## **TVR10/100/1000™**LANTESTER

### INSTANT ANSWERS ABOUT HUBS/SWITCHES/PCs AND CABLES

### MODEL TVR10/100/1000K

### **NO EXPERIENCE REQUIRED!**

A proven tester that we have been making for 20 years.

**INSTANTLY DISPLAY\*** 

Device type (hub/switch or PC)

Speed (10,100,1000 MB/s)

Duplex (half, full)

PoE (Power over Ethernet)

\*No training required!

ADVERTISED SPEED
AND POWER OVER ETHERNET

2 NEGOTIATED SPEED AND POWER OVER ETHERNET

3 TEST CABLES


4 TRACE CABLES






The quick LAN tester that should be in every toolbox! Unique for its ease-of-use, and *INLINE* capability, the TVR10/100/1000 performs 4 critical tests.

The lights quickly tell you if the device is a hub/switch or a PC. It reads the link pulse to determine if the device is capable of 10, 100 and/or 1000MB/s communication (this is termed the *advertised* speed). It displays whether it's half or full duplex. Plus, it detects PoE (Power over Ethernet). Both endspan and midspan.









WHY BUY: No complicated menus. Just what you need for quick answers while troubleshooting network problems. Plug in the TVR and watch the LEDs.



## POCKET CAT™ POCKET RJ45 / COAX TESTERS

TOP QUALITY TESTS ... AFFORDABLY PRICED
... TESTS CAT5/6 CABLES TO TIA568 SPECS
... TESTS BOTH CAT5/6 AND COAX CABLE
... TONE FOR TRACING CABLES
... AVAILABLE LIGHTED PROBE

- Tests both RJ45-CAT5/6 and coax cables.
- Ruggedized for field use. No LCD to break.
- PASS/FAIL results appear in one second.
- Each pair's status is highlighted.
- Complete TIA568 test performed. Continuity, opens / shorts, reversals and split pairs.
- Tone mode for tracing and troubleshooting.
- Auto-off (12 seconds) battery saver.
- Low battery indicator.
- Belt clip, batteries (9V) and pouch included.

Instant blue LED

PASS/FAIL Indication











The perfect testers for any toolbox. Performs a TIA568 test on CAT5/6 network cable (RJ45) with instant PASS/FAIL results. Ruggedized and cushioned for toolbox use with a hidden drawer for remote storage. Includes a tone generator. Available with or without a filtered, lighted inductive tone probe. Coax remote also included. Ruggedized for field use.

MODEL CTX200 RJ45/COAX TESTER/TONER WITHOUT PROBE MODEL CTX200P RJ45/COAX TESTER/TONER WITH PROBE

WHY BUY: Every installer needs a tester for everyday use... and the Pocket Cat is the perfect everyday tester. Ruggedized and cushioned for toolbox survival (no LCD). Quick and accurate PASS/FAIL test results... instantly.



© 2012 Byte Brothers, Inc.



### WIRE LOCATOR ALL WIRE TYPES

### SENSITIVE •LIGHTED • AC SAFETY LED



LOUD TONE WITH FILTERING TECHNOLOGY LOCATES WIRES QUICKLY

ULTRABRIGHT LED ON TIP FOR GREATER VISIBILITY IN DARK CLOSETS!

VOLUME CONTROL AND TONE LED FOR CONTROLLED OPERATION

INSULATED TIP AND "60HZ PRESENT"
WARNING LED FOR SAFETY

RJ11, RJ45 AND INSULATED ALLIGATOR CLIPS FOR CONNECTION

POUCH AND 9V BATTERIES INCLUDED Filtered: Special filtering blocks humm from fluorescent lighting

The famous probe sold with 1000s of our Real World Certifiers<sup>TM</sup> is included in this ProTone Kit<sup>TM</sup>

### **MODEL CTX590**


AVAILABLE THROUGH YOUR LOCAL DISTRIBUTOR

WARRANTY: 1 YEAR PARTS AND LABOR SEE MANUALS FOR SPECIFICS

TECH SUPPORT: ALL PRODUCTS RECEIVE FREE SUPPORT FROM NEWCASTLE, WA USA

# Color CCTV MONITOR 2.5

**ACTUAL SIZE** 



### FULL COLOR • BATTERY AND AC POWER

FULL FEATURE CCTV COLOR MONITOR, COMPLETE WITH COLOR AND BRIGHTNESS CONTROLS. CONNECTS TO THE CAMERA VIA A BNC CONNECTOR (INCLUDED).

VIDEO CHIP: MINI MONITOR 2.5 USES INTERSIL'S <sup>®</sup>
NTSC/PAL SINGLE CHIP VIDEO DECODER. IT IS DURABLE
AND CONSUMES VERY LITTLE POWER.

LCD: THE ACTIVE MATRIX COLOR LCD FEATURES FEATURES 480 x 234 PIXEL RESOLUTION (2.5" DIAGONAL).

CONTINUOUS USE: CONNECT THE AS ADAPTER FOR CONTINUOUS USE OR RECHARGING THE BATTERY.

LITHIUM-ION BATTERY: THE RECHARGEABLE BATTERY IS HIGH CAPACITY WITH A 4 HOUR BATTERY LIFE.

DESK STAND AND WRIST STRAP (FOR PORTABLE WORK)
INCLUDED IN PACKAGE.

### **MODEL VTX025**

**25th Anniversary bytebrothers.com** 800-999-2983 (USA) or cs@bytebrothers.com

© 2012 Byte Brothers, Inc.



7003 132nd Place SE, Newcastle, WA 98059 USA +1.425.917.8380 ● FAX +1.425.917.8379 ● cs@bytebrothers.com



WRIST MONITOR ALIGN CAMERAS