



CVC648IRHQ	3.6mm lens, black housing
CVC648IRHQW	3.6mm lens, white housing
CVC648IRVFHQ	2.8 - 12mm DC auto iris varifocal lens, black housing
CVC648IRVFHQW	2.8 - 12mm DC auto iris varifocal lens, white housing

Features

- Day/night camera with special shielding to eliminate IR reflections
- 650 TV lines of resolution
- Used for indoor applications
- Covers a full spectrum of possible lighting situations; ranging from bright light to no light
- This dome camera can be wall or ceiling mounted with the included mounting bracket
- Full OSD operation
- IR cut filter
- 5 year warranty



Specifications

Image Sensor	1/3" color CCD	Motion	On / Off (4 zone)
Resolution	650 TV lines	Mirror	On / Off
Minimum Illumination	0 lux with IR on, 0.01 lux with IR off	Backlight Compensation	BLC / HLC
Effective Pixels	768 (H) x 494 (V)	AGC	Yes
Iris	Electronic iris	TV System	NTSC
	DC auto iris (varifocal version only)	Power Consumption	370mA
Electronic Shutter Speed	1/60 sec. – 1/100,000 sec.	Power Supply	12VDC (power supply included)
Number of IR LEDs	22	Housing	High impact ABS
IR Range	65' (depending on scene reflection)	Operating Temperature	14° F – 122° F
IR LED Wavelength	850nm	Storage Temperature	-4° F – 140° F
S/N Ratio	More than 52dB (AGC off)	Dimensions	3" (H) x 5" (Dia.)
Gamma	0.45 typ.	Weight	14.1 oz.
Scanning System	2:1 interlace	Included in Package	Wall mount bracket, UL approved power supply, BNC test lead, installation hardware
Synchronization	Internal		
Privacy	On / Off (8 zone)		



wall mount
bracket included

Speco Technologies is constantly developing and improving products.
We reserve the right to modify product design and specifications without notice and without incurring any obligation.

Rev. 3/27/12

For more information contact Speco Technologies
200 New Highway, Amityville, NY 11701 • Toll Free: 1-800-645-5516 • Fax: 631-957-9142 or 631-957-3880
www.specotech.com