

MG Electronics Security/CCTV Price sheet for stocking distributors.
AC Class II Transformers

010112B

Model number	Voltage	Description/Termination	Per/CTN
MGT-1220	12 Volt AC 20 VA	Fused, LED, UL, Screw Terminal	24
MGT-1240	12 Volt AC 40 VA	Fused, LED, UL, Screw Terminal	24
MGT-1620	16.5 Volt AC 20 VA	Fused, LED, UL, Screw Terminal	24
MGT-1640	16.5 Volt AC 40 VA	Fused, LED, UL, Screw Terminal	24
MGT-1640P	16.5 Volt AC 40 VA	Fused, LED, UL, Screw Terminal,PTC*	24
MGT-1650	16.5 Volt AC 50 VA	Fused, LED, UL, Screw Terminal	24
MGT-1650P	16.5 Volt AC 50 VA	Fused, LED, UL, Screw Terminal,PTC*	24
MGT-1850	18 Volt AC 50 VA	Fused, LED, UL, Screw Terminal,	24
MGT-1850P	18 Volt AC 50 VA	Fused, LED, UL, Screw Terminal,PTC*	24
MGT-2420	24 Volt AC 20 VA	Fused, LED, UL, Screw Terminal	24
MGT-2440	24 Volt AC 40 VA	Fused, LED, UL, Screw Terminal	24
MGT-2440P	24 Volt AC 40 VA	Fused, LED, UL, Screw Terminal,PTC*	24
MGT-2450	24 Volt AC 50 VA	Fused, LED, UL, Screw Terminal	24
MGT-2450P	24 Volt AC 50 VA	Fused, LED, UL, Screw Terminal, PTC*	24

***All PTC Models have Auto reset/Ground plug**

DC Class II Transformers

MGT-12DC500	12 Volt DC 500MA	2.1mm Coax Plug, UL	40
MGT-12500RTS	12 Volt DC 500MA	Screw Terminal, UL, Fully Regulated	24
MGT-12300R	12 Volt DC 300MA	2.1mm Coax plug, UL, Fully Regulated	40
MGT-241000	24 Volt DC 1 AMP	3 Screw Terminals, UL,MOV Surge Protected	24
ADPT40	12 Volt DC 500MA	2.5mm Coax Plug, UL	40
ADPT79	12 Volt DC 500MA	UL with Mini Alligator Clips, UL	40
APDT108	24 Volt DC 600MA	2.1mm Coax Plug,UL,CSA,	30

Dual Voltage Class II Transformers

MGT-2412DV	24VAC/12VDC 635mA/1amp	Fused, dual Screw Terminal,UL,CUL	24
AM-9/12-25	9VAC/12VDC 830mA/1.66A	Fused, dual Screw Terminal,UL.	24

DC Plug-in switching power supplies

(All models are 120/240 50/60Hz)

SPS-054000D	5 Volt DC 4AMP	Switching power supply 2.1 Coax plug,UL	30
MGT-6500SPS	6 Volt DC 500MA	Switching power supply 2.1 Coax plug,UL	50
MGT-9500SPS	9 Volt DC 500MA	Switching power supply 2.1 Coax plug,UL	50
MGT-12500SPS	12 Volt DC 500MA	Switching power supply 2.1 Coax plug,UL	50
MGT-121AR	12 Volt DC 1AMP	Switching power supply 2.1 Coax plug,UL	50
SPS-12DC1.5A	12 Volt DC 1.5AMP	Switching power supply 2.1 Coax plug,UL	50
SPS-12DC-2A	12 Volt DC 2AMP	Switching power supply 2.1 Coax plug,UL	48
SPS-12DC-3A	12 Volt DC 3AMP	Switching power supply 2.1 Coax plug,UL	20

DC Switching Table top Power supplies

(All models are 120/240 50/60Hz)

MG-120303A	12 Volt DC 3.3AMP	Switching power supply,2.1 Coax plug,w/IEC Business machine power cord, 2.1/2.5mm plug adapter. UL listed	30
SPS-12DC-5A	12 Volt DC 5AMP		30

DC Plug-in switching power supplies with screw terminal output

ST-12500	12 VDC 500MA	100-240V input 50/60Hz 6W UL,cUL,FCC	24
ST-121A	12 VDC 1000MA	100-240V input 50/60Hz 12W UL,cUL,FCC	24
ST-122A	12 VDC 2000MA	100-240V input 50/60Hz 24W UL,cUL,FCC	24
ST-241A	24 VDC 1000MA	100-240V input 50/60Hz 12W UL,cUL,FCC	24

AC Open Frame Class I Transformers

MGT-24100	24 VAC 100VA	Open Frame, UL Transformer w/AC line cord	12
MGT-28100	28 VAC 100VA	Open Frame, UL Transformer w/AC line cord	12
MGT-28175	28 VAC 175VA	Open Frame, UL Transformer w/AC line cord	6

AC Open Frame Class II Signaling Transformers

MGT-598	Tri-voltage open frame	8 VAC-20VA*16 VAC-30VA*24 VAC-30VA,UL	24
MGT-599	24 VAC 40VA	Open Frame, UL Transformer	24
YD6040	24 VAC 30VA	Open Frame, UL Transformer	30

AC to DC Power Converters

AC/DC 2412 RoHS	Converts 24 VAC to 12 VDC 300MA-Fully Regulated		25
AC/DC 2412-800RoHS	Converts 24 VAC to 12 VDC 800MA-Fully Regulated		25
AC/DC 2412-1500RoHS	Converts 24 VAC to 12 VDC 1500MA-Fully Regulated		25

Video Baluns

MG-37	Video Balun Twisted Pair Video Transceiver		50/100
MG-38	Small Video Balun Twisted Pair Video Transceiver		50/100
MG-39	Video Balun Twisted Pair Video Transceiver w./12" extension		50/100
MG-W101AV	Twisted Pair Transmission System		24

CCTV DISTRIBUTED POWER SUPPLIES

Part #	Fused high output distributed DC power supplies	Qty/CTN
PS-412	4 camera power supply, UL 2044,CUL,CE listed. Output 12VDC 1AMP per output. 4 Individually fused output. I/P 100-240V 50/60Hz Auto selectable. E-Z Mount cabinet 8"x9 ¾"x3 ½"	4
PS-912	9 camera power supply, UL 2044, CUL,CE listed. Output 12VDC 5.2amp total. Each output: 800mA. 9 Individually fused output. I/P 100-240V 50/60Hz Auto-selectable. E-Z Mount cabinet 8"x 9 ¾"x 3 ½"	4
PS-1612	16 camera power supply, UL 2044, CUL,CE listed. Output 12VDC 12.5amp total.Each output: 800mA. 16 Individually fused output. I/P 100-240V 50/60Hz Switch selectable. E-Z mount cabinet 11 ¼"x 11 ¼"x 3 ½"	2

Part #	PTC Protected distributed AC power supplies.	
DPS-4UL	4 Camera power supply, UL2044,CE Listed. 24VAC 4AMP continuous. 4 individually PTC protected outputs with LED indicators. I/P 117V 60Hz. E-Z Mount Cabinet 9 ¾" x 3 ¾" x 8 1/8"	4
DPS-9UL	9 Camera power supply, UL2044,CE Listed. 24VAC 4AMP continuous. 9 individually PTC protected outputs with LED indicators. I/P 117V 60Hz. E-Z Mount Cabinet 9 ¾" x 3 ¾" x 8 1/8"	4
DPS-16UL	16 Camera power supply, UL2044,CE Listed. 24VAC 4AMP continuous. 16 individually PTC protected outputs with LED indicators.I/P 117V 60Hz. E-Z Mount Cabinet 9 ¾" x 3 ¾" x 8 1/8"	2

Part #	PTC Protected distributed DC power supplies	
DPS-12DC-9UL	9 Camera power supply,UL2044,CE Listed. Fully Regulated 12VDC 4AMP continous PTC Protected outputs with LED indicators. I/P 117V 60Hz. E-Z Mount cabinet 9 ¾"x 3 ¾" x 8 1/8"	4
DPS-12DC-16UL	16 Camera power supply,UL2044,CE Listed. Fully Regulated 12VDC 8AMP continous. PTC Protected outputs with LED indicators. I/P 117V 60Hz. E-Z Mount cabinet 11 ¼"x 11 ¼" x 3 ¾"	2

Part #	PTC Protected distributed power supplies. Dual Voltage (AC/DC)	
DPS-24AC12DC-16	16 Camera power supply,CE Listed. Fully Regulated. 8 cameras @ 12VDC and 8 cameras @ 24VAC 7.5AMP continous. PTC Protected outputs with LED indicators. I/P 117V 60Hz. E-Z Mount cabinet 11 ¼"x 11 ¼" x 3 ¾"	2

Part #	PTC Protected high output distributed power supplies.	
HPS-124UL	4 Camera power supply, Fully Regulated, 12VDC 1AMP per output. 4 Individually PTC Auto Reset Protected output. I/P 100/240VAC 50/60Hz Auto selectable. UL2044,CE Listed. E-Z Mount cabinet 9 ¾"x 3 ¾" x 8 1/8" Adjustable voltage ±10%	4
HPS-129UL	9 Camera power supply, Fully Regulated, 12VDC 800mA per output. 9 Individually PTC Auto Reset Protected outputs. I/P 100/240VAC 50/60Hz Auto selectable. UL2044,CE Listed. E-Z Mount cabinet 9 ¾"x 3 ¾" x 8 1/8"Adjustable voltage ±10%	4
HPS-1216UL	16 Camera power supply, Fully Regulated, 12VDC 800mA per output. 16 Individually PTC Auto Reset Protected outputs. I/P 100/240VAC 50/60Hz Switch selectable. UL2044,CE Listed. E-Z Mount cabinet 11 ¼"x 11 ¼" x 3 ¾"Adjustable voltage ±10%	2
VPS-129UL	9 Super High output Camera power supply, Fully Regulated, 12VDC 1200mA per output, 9 Individually PTC Auto Reset Protected outputs. I/P 100/240VAC 50/60Hz. Auto selectable. UL2044,CE Listed. E-Z Mount cabinet 9 ¾"x 3 ¾" x 8 1/8" Adjustable voltage ±10%	2
VPS-1216UL	16 Super High output Camera power supply, Fully Regulated, 12VDC 1200mA per output, 16 Individually PTC Auto Reset Protected outputs. I/P 100/240VAC 50/60Hz Switch selectable. UL2044,CE Listed. E-Z Mount cabinet 11 ¼"x 11 ¼" x 3 ¾" Adjustable voltage ±10%	2

Part #	NEMA OUTDOOR WEATHER RESISTANT POWER SUPPLY (AC)	
OPS-4	Weather Resistant aluminum power supply in NEMA 4X Box for IP cameras. 100VA ~4 Amp/ Single Output. I/P: 120V/230V 50/60Hz. O/P:24VAC/26VAC/28VAC. UL2044, cUL, CE listed. Dimensions: 6 ¾"X 6 ¾" X4"	4
OPS-7	Weather Resistant aluminum power supply in NEMA 4X Box for IP cameras. 175VA ~7 Amp/ Single Output. I/P: 120V/230V 50/60Hz. O/P: 24VAC/26VAC/28VAC. UL2044, cUL, CE listed. Dimensions: 6 ¾"X 6 ¾" X4"	4

Part # 24-28V SELECTABLE SINGLE OUTPUT. INDOOR POWER SUPPLY (AC) Qty/CTN		
IPS-4	Selectable single output. 24VAC or 28VAC indoor power supply. 100VA ~4Amp. I/P: 120V 60Hz O/P: 24VAC/28VAC Selectable. UL2044,cUL, CE listed. Dimensions: 9 ¾" X 8 ¼" X 3 ¾"	4
Part # HIGH OUTPUT DUAL-VOLTAGE DISTRIBUTED POWER SUPPLY (AC)		
DPS9-200W	High output dual-voltage distributed power supply. Daul voltage (24V/28V) transformer. 200 Watt current. 9 individual outputs with PTC protection. I/P 120V 60Hz 1AMP per output @ 24 Volts & 800mA per output @ 28 Volts. UL2044,cUL, CE listed.	4
DPS16-400W	High voltage output distributed power supply. 24V volt transformer. 400Watt current. 16 individual outputs with PTC protection. 1AMP per output @ 24 Volts UL2044,cUL, CE listed. (New Item coming soon)	2
Part # UNIVERSAL POWER SUPPLY/BATTERY CHARGER FOR ACCESS CONTROL		
ACS-2000	12VDC or 24 VDC Selectable outputs. 2.5 amp of continuius supply current output. Class II rated power limited output. 115VAC 60Hz, 1.45 Amp input. Filtered & electronically regulated outputs. Built-in charger for sealed lead-acid or gel type battery back-up. UL, cUL, CE, Cal Fire & NYC buildings listed	4
Part # RELAY MODULES		
RM612	6VDC or 12VDC selectable operation. DPDT contacts. 16Amps/240VAC/30VDC. Individual display/Blister pack. Includes 2 Double-sided adhesive strips.	24
RM24	24VDC Operation. DPDT contacts. 5Amps/250VAC/30VDC. Individual display/Blister pack. Includes 2 Double-sided adhesive strips.	24
Part # POWER OVER ETHERNET KIT		
MG-POE-12	Passes electrical power safely, along with data, on ethernet cabling. PoE Splitter with RJ45 Connector & 2.1MM DC Plug. PoE injector. AC power cord. Compatible with 12VDC IEEE 802.3af Auto-detect devices. For use with CAT5e cable (not included) UL	24
Part # UPS UNINTERRUPTABLE POWER SUPPLY		
MG-UPS1200	Uninterruptable power supply rated at 1200VA. Microprocessor controlled. 6 UL Grounded power output. LED display. Audio alarm. 2 High quality 7 AH sealed lead acid batteries. Automatic battery detection. Size: 4 ¾ X 11 ¾ X 7 ½ net weight 28LBS.	4
Part # REGULATED & FILTERED BENCH TYPE POWER SUPPLIES		
PS-8C	6 Amp/8amp surge, switching type, with cigarette lighter plug. I/P:110VAC 60Hz	4
PS-12C	10Amp/12Amp surge, switching type,with cigarette lighter plug. I/P:110VAC 60Hz	4
PS-10AD	10-20 VDC Adjustable, 10AMP constant. I/P:110VAC 60Hz	1
Part # DC TO AC POWER INVERTERS		
PI-1000	1000 Watt / 2000 watt surge, metal housing	1
Part # OUTDOOR CAMERA HOUSINGS & BRACKET SETS		
CAM-H400K	12" Outdoor beige aluminum camera housing. Includes mounting bracket. UL Listed.	6
CAM-H600K	15" Outdoor beige aluminum camera housing. Includes mounting bracket. UL Listed.	6
CAM-H800K	15" Outdoor beige aluminum camera housing with heater & blower. Includes mounting bracket. UL Listed.	6
Part # UNIVERSAL CAMERA BRACKETS		
CMB-1B	4" TO 6" Universal metal bracket with ceiling clip and 2" extender. 180° Swivel ¼x20 threads throughout. 10 LBS capacity (Black)	24
CMB-1W	4" TO 6" Universal metal bracket with ceiling clip and 2" extender. 180° Swivel ¼x20 threads throughout. 10 LBS capacity (White)	24
CMB-14	2" Clip-on mounting bracket. Rotates 360° Swivels 90° 2.2LBS capacity (Almond color)	100
Part # 12V LITHIUM-ION RECHARGEABLE BATTERY		
LBP-124500	12VDC 4500mAH Lithium-ion rechargeable battery pack & charger. On/Off switch built-in. Automatic charger with complete indicator. Compact size 2" x 3" ¾ UL Listed.	50
Part # IEC & CIGARETTE POWER CORDS		
CLC188	UL CSA 18-3 IEC Business power cord (Light grey)	50
CLC22	Cigarette power cord (black)	50

CCTV POWER/VIDEO EXTENSION CABLES WITH 2 EXTRA CONNECTORS**For Standard Cameras (18AWG) (Display Packed)**

Part #	Description	Qty per case
AVC-25	25' Black power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	50
AVC-25W	25' White power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	50
AVC-50	50' Black power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	50
AVC-50W	50' White power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	50
AVC-100	100' Black power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	25
AVC-100W	100' White power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	25
AVC-150	150' Black power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	20
AVC-150W	150' White power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter.	20

HEAVY DUTY CCTV POWER/VIDEO EXTENSION CABLES WITH 2 EXTRA CO
For Cameras 500mA to 1 AMP. 20 AWG (Display packed)

HDC-100	Heavy Duty 100' Black power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter. 20 AWG Black	20
HDC-100W	Heavy Duty 100' White power/video cable. Combines power & video, includes extra BNC male to RCA female & RCA male to BNC female adapter. 20 AWG White	20

Multipurpose Extension Cables. CCTV Video/Audio/power. (Display packed)**For cameras 500mA to 1 AMP. (Display Packed) 18 AWG**

EXT-25B	25' Power/video cable. Combines power & video. 18 AWG Black	50
EXT-50B	50' Power/video cable. Combines power & video. 18 AWG Black	50
EXT-100B	100' Power/video cable. Combines power & video. 18 AWG Black	25

Heavy Duty Video Power Cables BNC Male to BNC Male (Display packed)

HDC-25BB	25' Power/video cable. Combines power & video. 20 AWG Black	50
HDC-50BB	50' Power/video cable. Combines power & video. 20 AWG Black	40
HDC-100BB	100' Power/video cable. Combines power & video. 20 AWG Black	20
HDC-150BB	150' Power/video cable. Combines power & video. 20 AWG Black	10

Standard 75 Ohm BNC to BNC Cables (Display packed)

CBNC-3	3' Foot 75 ohm BNC to BCN cable (Black)	250
CBNC-6	6' Foot 75 ohm BNC to BCN cable (Black)	150
CBNC-12	12' Foot 75 ohm BNC to BCN cable (Black)	100
CBNC-25	25' Foot 75 ohm BNC to BCN cable (Black)	50
CBNC-50	50' Foot 75 ohm BNC to BCN cable (Black)	25
CBNC-100	100' Foot 75 ohm BNC to BCN cable (Black)	20

Mini 75 Ohm BNC Cables (Display packed)**Sub carton**

RGBNC-3	3' BNC Cable for RG179U minicable	(50) x 10	500
RGBNC-6	6' BNC Cable for RG179U minicable	(25) x 10	250
RGBNC-12	12' BNC Cable for RG179U minicable	(50) x 2	100

Cable Management System. 3' Long 4 Conductor BNC male to BNC male cable Assem

QBNC-3	3' (4 color coded wires) 4 BNC male to BNC male connectors.	24
QBNC-6	6' (4 color coded wires) 4 BNC male to BNC male connectors.	24

HDMI & USB Cables (Display packed)

MG-HDMI-6	High Speed HDMI 6ft cable. V1.4 24k Gold plated. 28AWG.	100
USB-1AB	15 Ft. 2.0 USB Cable. USB A-male to USB B-male. Nickel plated. 28AWG. RoSH. (Not in Display packaging)	60

CCTV ACCESSORY CABLES		Qty Sub/master CTN
AC-1	2.1mm Power Plug to screw mount, 12" long stripped & Tinned	100/1000
AC-2	BNC Plug to BNC Adapter, 12" Long	50/500
AC-3	BNC Female to RCA Male Adapter, 12" Long	50/500
AC-4	BNC Male to BNC Female Adapter, 12" Long	50/500
AC-5	2.1mm Power plug to 2.5mm Power Adapter, 2" Long	50/500
AC-6	4 way splitter. 2.1mm Male (1x) 12"/ 2.1mm Female (4x) 18"	50/500
W12.1MM	2.1mm Male Power Plug with 12" Cable Stripped & Tinned	100/1000
W32.1MM	2.1mm Female Power Plug with 36" Cable Stripped & Tinned	100/1000
Audio Pick-up Microphones		
MG-107	Add On Mic for Camera- Built-in 12VDC Power Regulator	24
MG-108	Add On Mic for Camera- Built-in 12VDC Power Regulator	24
HIGH PERFORMANCE DIGITAL COAXIAL CABLE		
RG-59U Siamese	95% shielded, UL Listed Digital coaxial cable (Black)	(1) x 500' Spool
RG-59U Siamese W	95% shielded, UL Listed Digital coaxial cable (White)	(1) x 500' Spool
RG-59U Siamese 1000	95% shielded, UL Listed Digital coaxial cable (White only)	(1) x 1000' Spool
CAT 5E CABLE		
CAT-5E-UL-24-B	Blue, UL Listed Cat 5e Cable 24/4P	(2) X 1000' Pull box
CAT-5E-UL-24-W	White, UL Listed Cat 5e Cable 24/4P	(2) X 1000' Pull box
CAT-5E-PLENUM	UL Listed Cat 5e Cable 24/4P •PLENUM•	(2) X 1000' Pull box
CAT-5-E PATCH CORDS		
(All Display packed)		Qty Sub/master CTN
PC-3B	3FT Cat-5-E patch cables 4 pair/24AWG (Blue) UL Listed	(100)x2 / 200
PC-3G	3FT Cat-5-E patch cables 4 pair/24AWG (Grey) UL Listed	(100)x2 / 200
PC-3W	3FT Cat-5-E patch cables 4 pair/24AWG (White) UL Listed	(100)x2 / 200
PC-7B	7FT Cat-5-E patch cables 4 pair/24AWG (Blue) UL Listed	(75)x2 / 150
PC-7G	7FT Cat-5-E patch cables 4 pair/24AWG (Grey) UL Listed	(75)x2 / 150
PC-7W	7FT Cat-5-E patch cables 4 pair/24AWG (White) UL Listed	(75)x2 / 150
PC-10B	10FT Cat-5-E patch cables 4 pair/24AWG (Blue) UL Listed	(50)x2 / 100
PC-10G	10FT Cat-5-E patch cables 4 pair/24AWG (Grey) UL Listed	(50)x2 / 100
PC-10W	10FT Cat-5-E patch cables 4 pair/24AWG (White) UL Listed	(50)x2 / 100
PTZ (PAN, TILT, ZOOM) CABLE		
PTZ-1000	1000' Pan Tilt Zoom Cat5E Control & 18AWG Power Cable UL Listed	(2) X 500' Spool
BNC CONNECTORS WITH GOLD PINS (DISPLAY PACKED)		Qty Sub/master CTN
BNC 1A	BNC twist on connector for RG 59/6U	100/1500
BNC 1B	BNC Male Twist on for RG58U	100/1000
BNC 2	BNC Male to RCA jack adapter	100/2000
BNC 6	Dual Female BNC splice	100/2000
BNC 7	RCA Plug to BNC jack adapter	100/2000
BNC 9	BNC Male crimp on for RG-59/6U (2PCS)	100/1000
BNC 9A	BNC Male crimp on for RG-59/6U (3PCS)	100/1000
BNC 10	BNC Male to Female	100/1000
BNC 25	BNC Male quick crimp for RG-6U (2PCS)	100/1000
BNC 26	BNC "T" adapter-one male to one female	100/1000
BNC 27	Right angle BNC-one male to one double female	100/1000
BNC 28	BNC "T" adapter, Female to Female to Female	100/1000
BNC 29	BNC Male Twist on for RG-6U	100/1000
BNC 30	NBNC Two Piece Crimp on for RG-6U	100/1000
CNF59U	"F" Connector for RG-59U	100/1000
CNF6U	"F" Connector for RG-6U	100/1000
BNCCOMP	BNC Compression fitting for RG-59U	100/1000
BNC CRIMP TOOL (Display packed)		
CT-10	BNC Crimp-on connector tool	10

ALARM SPEAKERS		Standard Ctn.
M50H	15 Watt Indoor/Outdoor horn speaker. High impact white ABS plastic casing, Heavy duty. Weatherproof. Size: 5" Round.	24
M58H	30 Watt Indoor/Outdoor horn speaker. High impact white ABS plastic casing, Heavy duty. Weatherproof. Size: 5"x 8" UL Listed	12
HS-12SBP	40 Watt Indoor/Outdoor horn speaker. High impact white ABS plastic casing, Heavy duty. Weatherproof. Size: 11"x 6 ½" UL Listed	6
M44H	15 Watt Wall mount speaker. White ABS plastic casing. Waterproof mylar speaker. Size: 4"x 4"x 2" UL Listed	24
FMS-100	15 Watt Flush mount speaker. White ABS Plastic casing. Waterproof Mylar speaker. Size: 6"x 5" x1" UL Listed	24

SELF CONTAINED SIRENS

M50-SPD	15 Watt Dual channel, Piezo Dynamic Siren 150mA. High impact white ABS plastic casing, Two-tone yelp or Steady, Weatherproof. 115db Size: 5" Round. UL Listed	24
MG-50JR	15 Watt Dual channel, Piezo Dynamic Siren 200mA. High impact white ABS plastic casing, Two-tone Warble or Steady, Weatherproof. 115db Size: 4" x 5 ¼" Bell. UL Listed	24
M85-PDS	30 Watt Dual Channel Piezo Dynamic Siren 300mA. High Impact white ABS Plastic casing, Two-tone Yelp or Steady, weatherproof. 117db Size: 5" x 8" UL Listed	12
MG-85JR	30 Watt Dual Channel Piezo Dynamic Siren 390mA. High Impact white ABS Plastic casing, Two-tone Yelp or Steady, weatherproof. 119db Size: 7¾" x 4½" x 6½" UL Listed	24

FLUSH & SURFACE MOUNTED SIRENS

MG-441-PDS	15 Watt Square surface mounted dual tone. 100mA. Piezo Dynamic Siren. High Impact ABS housing, weather resistant. 110db Size: 4" x 4" x 1" (low profile design) UL Listed	24
SS100H	15 Watt square surface mounted siren, dual tone. 400mA. High impact white ABS plastic casing. Two-tone Yelp or Steady, weatherproof. 110db Size: 4" x 4"x 2" UL Listed	24
LD-72	Piezo mini siren. Surface mounted. High impact black ABS casing. High frequency warble. 110db @ 12VDC/20cm. 80mA. Size: 1.85" x 1.5" x .9" UL Listed	50
SS300	Flush mount single gang box siren. White ABS housing. 65mA. 103db Size: 4½" x 2¾ x 1" UL Listed	24
SS-70H	Flush mount two tone siren. High impact ABS casing, Two-tone Yelp and Steady. High impact ABS plastic casing, weather resistant. 110db Size: 6½" x 5" x 1½" UL Listed	24

PANEL MOUNTED BUZZERS & CHIMES

PA-100	Panel mount buzzer. 3-28VDC Operating range. 20mA @ 28VDC. Continuous tone. 90db SPL (1w/1m) Fits ¾" dia opening. 5" wire leads. UL Listed	100
HJ-650	Panel mount buzzer. 4-28VDC Operating range. 15mA @ 28 VDC. Continuous tone. 95db SPL (1w/1m) Fits 1 1/8" dia opening. Screw terminals.	100
11S3120	Panel mount buzzer. 12VDC Operating range 6-18VDC. ABS plastic housing with two lugs.	120
FM-110A-903AL	Panel mount buzzer. 110 VAC. 20mA @ 110VAC. Pulse tone. 90db/110 VAC/30cm. Fits 1 1/8" dia opening. 6" wire leads. UL Listed	300
CH-12 CHIME	6-18VDC Round surface mounted buzzer. Tone: Ding/Dong. 3" wire leads High impact ABS Plastic casing: 80db. Size: 1¼ round. UL Listed	72

MINI PIEZO ALARM SIRENS

SSP-1	Piezo super siren. High frequency chirping pitch. Working voltage:6-12VDC. 110db @ 1 meter sound pressure. Max. current drain:170mA. Black.Size: 1 5/8" x 2¼ x 1½ UL Listed	24
SSP-3	Piezo super siren. High impact black ABS casing, High frequency warble. Working voltage:6-12VDC. 120db @ 1 meter sound pressure. Max. current drain:300mA @ 12VDC. Black.Size: 1 5/8" x 2¼ x 1½ UL Listed	24

SIREN BOX PACKAGES

M1	Stainless steel siren box. 2 tone 30w siren. 2 reed tamper switches, assembled. UL Listed	12
M1-ST	Stainless steel siren box. 2 tone 30w siren. 2 reed tamper switches, with red strobe light assembled. UL Listed	12

LCD MONITOR BRACKETS (DISPLAY PACKED)		Std Ctn.
FM-75-100B	Flush mount monitor wall mount kit for LCD flat-panel monitors 13" to 24" VESA 75 & 100. Max:33Lbs/15Kgs Includes screws for concrete & wood. (Black)	24
MG-LCD-75-100B	LCD/TV Flat panel wall mount bracket. For 13" to 24" monitors. VESA 75 & 100. Max:33Lbs/15Kgs. Includes screws for concrete & wood. (Silver)	20
LCD-SA1-2	Swing arm mounting bracket. For 13" to 24" flat panel monitors. Low-profile design. VESA 75 & 100 compliant. Max:33Lbs/15Kgs (Silver)	12
MG-LCD-3 (New Design!)	Swing arm mounting bracket. For 13" to 24" flat panel monitors. Cable management hooks. Fully assembled for easy mounting. VESA 75 & 100. Max:33Lbs/15Kgs (Black)	12
MG-LCD-21 (New Design!)	LCD/TV wall bracket for 13" to 27" panel monitors. Two piece "slide in" design. Built-in bubble level. Ball design tilt/swivel head. VESA 75 & 100. Max:44Lbs/20Kgs (Black) Blister packaged	6
MG-LCD-25 (New Design!)	LCD/TV wall bracket for 17" to 37" panel monitors. Two piece "slide in" design. Ball design tilt/swivel head. VESA 75/100/100-200/200. Max:66Lbs/30Kgs (Black)	4
MG-LT-041	LCD/TV Ultra slim fixed bracket. Installs ¾" from wall. For 37" to 63" monitors. Universal mounting pattern. Built-in spirit level. Max VESA 800x400. Max:165Lbs/75Kg. Includes safety bar. (Matte Black)	6
PLB-3655-UL	Universal LCD/Plasma TV mounting bracket. 36" to 55" monitors. VESA 700x400. Distance from wall: 1 5/8" Max:165Lbs. (Brushed Aluminum) UL listed	2
PLB-1A-UL	Universal LCD/Plasma TV mounting bracket. 30" to 55" monitors. 15° Monitor tilt. Max:165Lbs. (Brushed Aluminum) UL listed	2
PLB-1B-UL	Universal LCD/Plasma TV mounting bracket. 30" to 55" monitors. 15° Monitor tilt. Max:165Lbs. (Black Powder coated) UL listed	2
CB-4	LCD ceiling mount bracket. For 10" to 30" monitors. Standard VESA. ABS Plastic and brushed aluminum construction. Max: 44Lbs. (Black) UL Listed	5
CB-5-IMP (New Design!)	Universal LCD/Plasma TV Ceiling mounting Bracket. For Large flat panel montiors, 36" to 55". Max:165Lbs/75Kg. (Black powder coated) UL Listed	1
WB-5-IMP (New Design!)	LCD/Plasma TV wall mounting Bracket. For Large flat panel montiors, 36" to 55". Intergrated cable management. Display adjustments: vertical tilt,swivel ±45° Max:165Lbs/75Kg. (Black) UL Listed	3
WB-6	LCD/Plasma TV wall mount bracket. For monitors 14" to 32". VESA 200. Adjustable tilt. Safety locking system. Max: 77Lbs. (Black)	10
WB-7	LCD/Plasma TV Articulating arm wall mount bracket. For monitors 17" to 32". ±20° tilt. VESA 50/75/100/200. Max: 66Lbs. (Silver)	3
WB-8	LCD/Plasma TV Double Articulating arm wall mount bracket. For monitors 15" to 32". ±45° tilt. VESA 100/200. Max: 66Lbs. (Silver)	4
WB-9	LCD/plasma TV wall mount bracket. For monitors 15" to 32". 30° tilt. VESA 50/75/100/200. Max: 66Lbs (Silver)	4

DUAL MONITOR BRACKETS

MG-DTB-01	Dual monitor desktop mount for 10"~24" LCD/TFT TV's and computer monitors. Up to 8kg. Allows for tilt, swivel and provides easy viewing from any angle. Black	4
-----------	---	---

CRT MONITOR BRACKETS (DISPLAY PACKED)		Standard Ctn.
CB-1	CRT Ceiling bracket. Rotates 360° Tilts 30°. For monitors 20" to 29". Max:132Lbs. (Black)	2
CB-2	CRT Ceiling bracket. Rotates 360° Tilts 30°. For monitors 14" to 21". Max:73Lbs. (Black)	2
CB-3	CRT Ceiling bracket. Rotates 360° Tilts 30°. For monitors 9" to 14". Max:45Lbs. (Black)	2
WB-1	CRT Wall bracket. Rotates 260° Tilts 30°. For monitors 20" to 29". Max: 132Lbs. (Black)	2
WB-2	CRT Hinged arm wall bracket. Rotates 260° Tilts 30°. For monitors 9" to 14". Max: 31Lbs. (Black)	6
WB-3	CRT Wall bracket. Rotates 260° Tilts 30°. For monitors 14" to 21". Max: 66Lbs. (Black)	2
WB-4	CRT Single arm wall bracket. Rotates 260° Tilts 30°. For monitors 9" to 14". Max: 26Lbs. (Black)	6

INDOOR/OUTDOOR PAGING SPEAKERS

HS-8T	8" Multi-purpose paging horn with built-in dual matching transformer 70V/25V/8 ohm. Gray aluminum metal housing. Weatherproof. Power taps: 70V 1/2/4/8/16/32 watts.	6
HS-12T	11" x 6½ Multi-purpose paging horn with built-in dual matching transfor 70V/25V/ 8 Ohm. High impact Tan plastic casing. Weatherproof. Power taps:70V 2/4/8/16/32	6
HS-17T	8" Multi-purpose paging horn with built-in dual matching transformer 70V/25V/8 ohm. High impact Tan ABS plastic casing. Weatherproof. Power taps: 70V 1/2/4/8/16 watts.	6
PS-100T	6 ½" Indoor/outdoor projector speaker. Built-in wide range "Dual-cone speaker. Integrated 70V transformer. Taps at 20/10/5 watts. 92db. Housing size: 7" x 10"	6

PUBLIC ADDRESS SPEAKERS

610CXBT/WG	6.5" Coaxial speaker. 70/25 Volt Transformer. White high style grill. 8 ohms. Taps at .63/2.5/5/10 watts. 94db (1w/1m) Size: 9" x 3¾.	6
810CXBT/WG	8" Coaxial speaker. 70/25 Volt Transformer. White high style grill. 8 ohms. Taps at .63/2.5/5/10 watts. 94db (1w/1m) Size: 10½" x 3½.	6

IN-WALL LOUDSPEAKERS

IWS-650CX	6½ 2-way Coaxial speaker. Titanium swivel dome tweeter. Gold Binding post terminals. 8 Ohms. High power Kapton voice coils. 100 Watt max input. 90db (1w/1m) Size: 10¾x½	3
-----------	--	---

IN-CEILING SPEAKER

MG-24CT-UL	4" 2 way low profile in-ceiling speaker. Metal backbox. UL 94/VO fire retarded plastic. UL safety hook. 70V/100V switchable transformer. 8 Ohm. Max power: 60 watt. 85db. Back can Dia: 6¼ Back can height:4½	6
------------	---	---