



SF381 Emergency & SF382 Code Standalone Stations

IL753 Specification Sheet

Tek-CARE®NC300II Nurse Call System • Rev. 4 - 07/2013

Features

- UL® 1069 Listed
- Plug-on connection
- Supervised connections
- Standalone installation
- SF381 includes a washable TPU plastic pull cord kit

Description

The SF381 Emergency Station and the SF382 Code Call Station are for use in any location where an emergency or code call switch is needed without the need to install another device (such as a multipurpose station or other addressable device). The stations are designed to be connected directly to the station bus wiring of the Tek-CARE® NC300II system. The stations include dome lamp outputs, and are addressed using dip switches mounted on the rear of the stations.

Listings



UL® 1069 listed; UL® File Number E71599.



SF381 Emergency & SF382 Code Standalone Stations

Specifications

Dimensions:	Height	4.5"	(114 mm)
	Width:	2.8125"	(75 mm)
	Depth:	1.625"	(41 mm)
	Projects:	0.6875"	(17 mm)
		(Including pull-down lever)	
Construction:	Flame-retardant (UL® 94V-0) plastic faceplate. Electronic components are mounted on a printed circuit board.		
Connections:	Plug-on connectors.		
Housing:	Single gang ring or double gang box with single gang ring.		

Required Components

Tek-CARE® NC300II Nurse Call System

www.tektone.com

277 Industrial Park Road • Franklin, NC 28734 • tektone@tektone.net

Phone: (828) 524-9967 • Fax: (828) 524-9968 • Sales: Choose option 2 • Tech Support: Choose option 3

TekTone®'s quality system is registered by UL® to the ISO 9001 standard. (Reference #10001510.)