SPECTRUM Series Special Application Manual Alarm Stations



Description

The SPECTRUM Series is a family of die-cast, metal pull stations designed to meet special application requirements such as: weather alert, hazmat spills, police call, medical emergencies, door release and fire suppression. There is a series of special application labels to designate the function of the pull station for the user. There is no agency standard, outside of red for fire that dictates what color is to be used for a specific application.

This series of pull stations is available in single or dual action configurations. There are two sets of gold plated contacts that can be configured by the installer as either normally open or normally closed. The terminal block accommodates field wiring of #22 to #14 AWG. All models have been tested by UL and found in compliance with the pull force requirements of the Americans with Disabilities Act (ADA). The Spectrum stations are key resettable.

Operation

The stations are operated by pulling the handle marked "PULL" on the front of the unit as far down as it will go. At that point, the handle will lock in place and is easily visible from up to 50 feet. The activation handle is reset by opening the station with the key, placing the "PULL" handle to its normal upright position and relocking the station. On the dual action, the "PUSH" or optional "EMERGENCY" bar moves inward allowing the "PULL" handle to be operated by a single hand.

Mounting Configurations

Semi-Flush--All models mount on a standard single-gang back-box.

Surface Mount Interior--Use SigCom SGB-32S or the deeper metal back- box SGB-32SD.

Surface Mount Exterior-- Use SigCom die cast weatherproof backbox #SG-WP series, or the deeper back-box SGB-32CD series. Includes gasket set, final assembly achieves NEMA 3R rating.











- Single or Dual Action
- Special Application Labeling Available
- Screw Terminal Connections
- Normally Open or Closed Alarm/Auxiliary Contacts
- Gold Plated Contacts
- Surface or Weatherproof Back-box
- Deeper back boxes available for more space and/or addressable module
- Consult factory for other colors



Signal Communications Corporation

4 Wheeling Avenue • Woburn, MA 01801 USA Tel +1-781-933-0998 • Fax +1-781-933-5019 www.sigcom.com

SIGCOM SG-42 SPECTRUM Series Manual Pull Stations

SPECIFICATIONS

| Listings: | UL, ULC, FM, CSFM, MEA | | |
|---------------------------|---|--|--|
| Temperature: | -40 [°] to 150 [°] F; 40 [°] to 65 [°] C, 90% relative humidity @ 100 [°] F; 38 [°] C | | |
| Switch Rating: | 2 Amps @ 125 VDC, 2 Amps @ 240 VAC, | | |
| Screw Terminal Block | #22 to #14 gauge wire | | |
| Pull Station Weight: | 1.2 lbs., 0.55 kg | | |
| Pull Station Dimensions: | 4.75"h x 3.25"w x 1.1"d; 12.1 x 8.3 x 2.8 cm | | |
| Surface-Mount Backbox Dim | s: Outside: 4.75"h x 3.25 "w x 2.25"d; 12.1 x 8.3 x 5.7 cm | | |
| | Inside Depth: 2.12"; 5.4 cm | | |
| Deep Surface-Mount Backbo | ox Dims: Outside 4.75"h x 3.25"w x 2.75"d; 12.1 x 8.3 x 7.0 cm | | |
| | Inside Depth 2.62"; 6.6 cm | | |
| Lock: | CAT30 aka "B" key lock is standard (other available, consult factory) | | |
| Break-Rod: | Optional, not required for operation. One break-rod is included with each pull | | |

Single

Action

ORDERING INFORMATION

Spectrum Color Pull Stations

SG-42CXK1-BL Dual Action Pull Station, DPDT, Blue SG-42CXK1-GR Dual Action Pull Station, DPDT, Green SG-42CXK1-YL Dual Action Pull Station, DPDT, Yellow SG-42CXK2-BL Single Action Pull Station, DPDT, Blue

SG-42CXK2-GR Single Action Pull Station, DPDT, Green SG-42CXK2-YL Single Action Pull Station, DPDT, Yellow

SG-42CXK1E-BL Dual Action Pull Station, with Emergency Push Bar, DPDT, Blue SG-42CXK1E-GR Dual Action Pull Station, with Emergency Push Bar DPDT, Green SG-42CXK1E-YL Dual Action Pull Station, with Emergency Push Bar DPDT, Yellow

Spectrum Pull Station Back-Boxes

Sheet Metal Back-Box, Indoor Use, two - 1/2" knockouts,

For BLUE order SGB-32S-BL; For YELLOW order SGB-32S-YL, for GREEN order SGB-32S-GR

Sheet Metal Back-Box, Deep Version, Indoor Use, two - 1/2" knockouts,

For BLUE order SGB-32SD-BL, For YELLOW order SGB-32SD-YL, for GREEN order SGB-32SD-GR

Weather Proof Back-Box, Outdoor Use, NEMA 3R, one tapped hole 3/4" NPT For BLUE order SG-WP-BL; For Yellow order SG-WP-YL, for GREEN SG-WP-GR

Cast Weather Proof Back-Box, Deep Version, Outdoor Use, NEMA 3R, one tapped hole 3/4" NPT Metal Back-Box For BLUE order SG-32CD-BL, for YELLOW order SG-32CD-YL; for GREEN order SG-32CD-GR Shown

Accessories for Pull Station

SG-GR01 Replacement Break-Rods (12 per package) Notes: One (1) break-rod is included with each pull station; Break-rod is not required for operation SG-LOCK-* Alternate lock set (* Consult Factory for options), CAT15, CAT45, CAT60, Hex,

Also:

- Red Fire Alarm Pull Stations See Sigcom SG-42 Series Data Sheet
- New York City MEA listed Stations See Sigcom NYC Stations, SG-33 Series Data Sheet
- Marine Rated and Explosion Proof Pull Stations See Sigcom SGX Series Data Sheet



Signal Communications Corporation 4 Wheeling Ave, Woburn MA 01801 USA +1-781-933-0998 • www.sigcom.com



station







Metal Back-Box

Weather-Proof

with

Gasket

Sheet

with

Emergency Bar

Labels for SigCom SPECTRUM Pull Stations

Please select one (1) top label and one (1) bottom label per pull station.

Labels for Top Section

| Part # | Label Color | Text Color | Text |
|--------------|-------------|------------|---------------|
| 880-0046-B | Blue | White | ALARM ALARM |
| 880-0047-B | Blue | White | ALERT ALERT |
| 880-0050-B | Blue | White | OPEN DOOR |
| 880-0050-C/R | Clear | Red | OPEN DOOR |
| 880-0050-C/W | Clear | White | OPEN DOOR |
| 880-0046-G | Green | White | ALARM ALARM |
| 880-0047-G | Green | White | ALERT ALERT |
| 880-0046-Y | Yellow | Red | ALARM ALARM |
| 880-0047-Y | Yellow | Red | ALERT ALERT |
| 880-0048-Y | Yellow | Red | LOCAL EVAC |
| 880-0050-Y | Yellow | Red | OPEN DOOR |

Examples



#880-0047-G and #880-0055-G

Labels for Lower Section

| Part # | Label Color | Text Color | Text |
|-----------------------|-------------|------------|--|
| 880-0056-B | Blue | White | MEDICAL |
| 880-0057-B | Blue | White | TORNADO |
| 880-0058-B | Blue | White | DOOR RELEASE |
| 880-0062-B | Blue | White | POLICE |
| 880-0090-C/R | Clear | Red | EMERGENCY EXIT |
| 880-0090-C/W | Clear | White | EMERGENCY EXIT |
| 880-0055-G | Green | White | EMERGENCY |
| 880-0056-G | Green | White | MEDICAL |
| 880-0052-Y | Yellow | Red | HAZMAT |
| 880-0053-Y | Yellow | Red | AFFF RELEASE |
| 880-0054-Y | Yellow | Red | EVACUATE |
| 880-0055-Y | Yellow | Red | EMERGENCY |
| 880-0056-Y | Yellow | Red | MEDICAL |
| 880-0057-Y | Yellow | Red | TORNADO |
| 880-0058-Y | Yellow | Red | DOOR RELEASE |
| 880-0199 | Yellow | Red | FOAM |
| Multiple Label Set | | | |
| 880-0101 | Yellow | Red | MANUAL RELEASE SUPPRESSION RELEASE EXTINGUISHER RELEASE SPRINKLER RELEASE |



#880-0046-Y and #880-0052-Y



#880-0047-B and #880-0057-B

Other Labels Available, Including Private Branding. Contact SigCom for Details



Signal Communications Corporation 4 Wheeling Ave, Woburn MA 01801 USA +1-781-933-0998 • www.sigcom.com