


ACCESSORIES

for Maglock®



HEB » HEADER EXTENSION BRACKET

- 90 degree angle brackets
- Extends narrow headers to permit proper mounting of Maglocks
- Use with M32, M62, M82, M38, M68, M370, M380, M670, M680
- Available in clear aluminum or black anodized
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

HEB-1BK-12	HEB - 1x1x12, Black Anodized
HEB-1BK-8	HEB - 1x1x8, Black Anodized
HEB-1CL-12	HEB - 1x1x12, Clear Anodized
HEB-1CL-8	HEB - 1x1x8, Clear Anodized
HEB-2BK-12	HEB - 2x2x12, Black Anodized
HEB-2BK-8	HEB - 2x2x8, Black Anodized
HEB-2CL-12	HEB - 2x2x12, Clear Anodized
HEB-2CL-8	HEB - 2x2x8, Clear Anodized
HEB-3BK-12	HEB - 3x3x12, Black Anodized
HEB-3BK-8	HEB - 3x3x8, Black Anodized
HEB-3CL-12	HEB - 3x3x12, Clear Anodized
HEB-3CL-8	HEB - 3x3x8, Clear Anodized



UHB » UNIVERSAL HEADER BRACKET

- Used to extend the header 1" or 1-1/2"
- Provides a concealed wiring chamber
- Use with M32, M62, M82, M38, M68, M370, M380, M670, M680
- Available in clear aluminum or black anodized
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

UHB-BK-12	UHB - 12", Black Anodized
UHB-BK-8	UHB - 8", Black Anodized
UHB-CL-12	UHB - 12", Clear Anodized
UHB-CL-8	UHB - 8", Clear Anodized



SFP » STOP FILLER PLATE

- Used to fill or extend a door stop
- Creates a flat mounting surface for the Maglock®
- Available in 1/4", 3/8", 1/2" and 5/8" thickness, all 1-1/4" wide
- Use with M32, M62, M82, M38, M68, M370, M380, M670, M680
- Available in clear aluminum or black anodized
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

SFP-1/2BK-12	SFP - 1/2 x 1-1/4 x 12, Black Anodized
SFP-1/2BK-8	SFP - 1/2 x 1-1/4 x 8, Black Anodized
SFP-1/2CL-12	SFP - 1/2 x 1-1/4 x 12, Clear Anodized
SFP-1/2CL-8	SFP - 1/2 x 1-1/4 x 8, Clear Anodized
SFP-1/4BK-12	SFP - 1/4 x 1-1/4 x 12, Black Anodized
SFP-1/4BK-8	SFP - 1/4 x 1-1/4 x 8, Black Anodized
SFP-1/4CL-12	SFP - 1/4 x 1-1/4 x 12, Clear Anodized
SFP-1/4CL-8	SFP - 1/4 x 1-1/4 x 8, Clear Anodized
SFP-3/8BK-12	SFP - 3/8 x 1-1/4 x 12, Black Anodized
SFP-3/8BK-8	SFP - 3/8 x 1-1/4 x 8, Black Anodized
SFP-3/8CL-12	SFP - 3/8 x 1-1/4 x 12, Clear Anodized
SFP-3/8CL-8	SFP - 3/8 x 1-1/4 x 8, Clear Anodized
SFP-5/8BK-12	SFP - 5/8 x 1-1/4 x 12, Black Anodized
SFP-5/8BK-8	SFP - 5/8 x 1-1/4 x 8, Black Anodized
SFP-5/8CL-12	SFP - 5/8 x 1-1/4 x 12, Clear Anodized
SFP-5/8CL-8	SFP - 5/8 x 1-1/4 x 8, Clear Anodized



SECURITRON®
ASSA ABLOY

ACCESSORIES

for Magnalock®



IK » INSTALLATION KIT

- This convenient, cost effective kit contains everything an installer needs to achieve professional, high quality Securitron Magnalock® installations. The IK offers substantial savings over purchasing the same items separately.
- MagnaCare Lifetime Replacement No Fault Warranty

Securitron's original installation kit includes the following components:

Tool Box	Threadlock
Heavy Duty Drill Guide	1/8" Cobalt Drill Bit
Blind Nut Placement Tool	3/8" Cobalt Drill Bit
Sex Bolt – M32/M62/M82	3/8" Carbide Drill Bit
T-Handle Hex Wrench	1/2" High Speed Drill Bit
Hardware Packs – M32, M62/M82	Blind Nuts with Collapsing Tool
Rubber Washers	Finish Caps
Flat Washers	Long Screw Pack
Insulated Crimp Connectors	Product Installation CD

» MODELS

PART #	Description
IK	Installation Kit



OS » OFFSET STRIKES

- An offset strike may be required for proper installation of the M62 in aluminum frame door applications
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART #	Description
M62-OS	M62 - w/ Offset Strike
M62B-OS	M62 - MBS, w/ Offset Strike
M62BD-OS	M62 - MBS, DPS, w/Offset Strike
M62G-OS	M62 - Conduit, Offset Strike



SS » SPLIT STRIKES

- A pair of Split Strikes may be used for each leaf of a double door with no mullion to provide traffic control using a single magnet
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART #	Description
M62-SS	M62 - w/ Split Strike
M62B-SS	M62 - MBS, w/ Split Strike

SECURITRON®
ASSA ABLOY



HEB / GDB / AKG » ACCESSORIES FOR GLASS DOOR INSTALLATIONS

- HEB-3G allows for Magnalock installation on all-glass header when used with AKG
- GDB permits strike plate installation on a solid glass door
- AKG permanently bonds to the glass using a special industrial adhesive
- Strike Plate screws into the bracket, as glass doors cannot be drilled
- Use HEB-3G with M32, M62, 3" x 3" x 8" with specially milled back
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

AKG	Adhesive Kit for GDB
GDB	Glass Door Bracket
HEB-3G	HEB - 3 x 3 x 8 for Glass Door, Clear Anodized
DCP-12X3	Dress Cover Plate, 3 x 3 x 12 for larger strikes (M680, M380)



ASB » ALUMINUM SPACER BRACKET

- Use when a blade stop requires the Magnalock to be lowered
- Comes pre-drilled for the mounting bolts and wire
- Provides a blind nut for surface installation of strike
- Available in clear aluminum or black anodized
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

ASB-32BK	Alum Frame Spacer Bracket - M32, Black Anodized
ASB-32CL	Alum Frame Spacer Bracket - M32, Clear Anodized
ASB-62BK	Alum Frame Spacer Bracket - M62, Black Anodized
ASB-62CL	Alum Frame Spacer Bracket - M62, Clear Anodized
ASB-82BK	Alum Frame Spacer Bracket - M82, Black Anodized
ASB-82CL	Alum Frame Spacer Bracket - M82, Clear Anodized
ASCWB-DM62CL	Alum 1-1/2" Spacer - Concrete/Wood Bracket, DM62, Clear

ACCESSORIES for Magnalock®



CWB » CONCRETE/WOOD BRACKET

- Used on wood or concrete filled metal frames
- Provides a concealed wire chamber
- Available in clear aluminum or black anodized
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

CWB-32BK	Concrete/Wood Bracket - M32, Black Anodized
CWB-32CL	Concrete/Wood Bracket - M32, Clear Anodized
CWB-62BK	Concrete/Wood Bracket - M62, Black Anodized
CWB-62CL	Concrete/Wood Bracket - M62, Clear Anodized
CWB-82BK	Concrete/Wood Bracket - M82, Black Anodized
CWB-82CL	Concrete/Wood Bracket - M82, Clear Anodized



AOS » OFFSET STRIKES/REPLACEMENT STRIKE PLATES

- Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors
- Includes Offset Strike Plate only
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

AOS-62	Strike Plate - M62, Offset
AOS-62D	Strike Plate - M62D, Offset
AOS-82	Strike Plate - M82, Offset

SECURITRON®
ASSA ABLOY

ACCESSORIES

for Magalock®



ASS » SPLIT STRIKES/REPLACEMENT STRIKE PLATES

- Allows a single M32, M62 or M82 Magalock to secure a double door at traffic control holding force level
- Includes Split Strike Plates only
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

ASS-32	Strike Plate M32 - Split Set w/ Fasteners & Sex Bolt
ASS-62	Strike Plate M62 - Split Set w/ Fasteners & Sex Bolt
ASS-82	Strike Plate M82 - Split Set w/Fastners & Sex Bolt





ZA » Z BRACKET KITS - ADJUSTABLE

- Use on in-swing doors with Magalock "F" options (8-1/2" overall length)
- Provides 1-1/4" of lateral movement to accommodate most openings and allows for precision adjustments (2-1/4" to 3-1/2" from door/header)
- Includes an oversized dress cover
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

ZA-32/62BK	Adjustable Z-Bracket - M32/62, Black Anodized
ZA-32/62CL	Adjustable Z-Bracket - M32/62, Clear Anodized
ZA-32/62SS	Adjustable Z-Bracket - M32/62, Satin Stainless
ZA-82BK	Adjustable Z-Bracket - M82, Black Anodized
ZA-82CL	Adjustable Z-Bracket - M82, Clear Anodized
ZA-82SS	Adjustable Z-Bracket - M82, Satin Stainless



EASB » ENERGY ABSORBING SEX BOLT

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

EASB-250	Energy Absorbing Bolt - 1/4" Spacer Kit
EASB-32	Energy Absorbing Sex Bolt - Model 32
EASB-62	Energy Absorbing Sex Bolt - Model 62
EASB-82	Energy Absorbing Sex Bolt - Model 82



TDK-1 » ACCESSORY FOR THICK DOORS

- The TDK-1 provides replacement screws so armature plates for the M32, M62, M82, M38 and M68 can be used on doors thicker than 1-3/4", and up to 3"
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description

TDK-1	Thick Door Kit
-------	----------------

SECURITRON®
ASSA ABLOY



SB-1 » SEX BOLT REPLACEMENT

- Replaces armature plate sex bolt for M32, M38, M62, M68, and M82B Magnalocks
- Available in clear, polished brass or oil rubbed bronze finish
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART #	Description
SB-1	Sex Bolt - Replacement, Clear
SB-1-03	Sex Bolt - Replacement, Polished Brass
SB-1-10B	Sex Bolt - Replacement, Oil-Rubbed Bronze



DC » DRESS COVERS

- Use with M32, M62, and M82
- Install using foam adhesive tape
- Available in clear, black, polished stainless and polished brass finish
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART #	Description
DC-32BK	DC - M32, Black Anodized
DC-32BP	DC - M32, Brass Polished
DC-32CL	DC - M32, Clear Anodized
DC-32SP	DC - M32, Stainless Polished
DC-62BK	DC - M62, Black Anodized
DC-62BP	DC - M62, Brass Polished
DC-62CL	DC - M62, Clear Anodized
DC-62SP	DC - M62, Stainless Polished
DC-82BK	DC - M82, Black Anodized
DC-82BP	DC - M82, Brass Polished
DC-82CL	DC - M82, Clear Anodized
DC-82SP	DC - M82, Stainless Polished

ACCESSORIES

for Magnalock®



DDC » DOUBLE DRESS COVERS

- Available in clear and black finish
- For use with a pair of Magnalocks on a double door separated by no more than 2"
- Not for use with the DM62 Magnalock
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART #	Description
DDC-32BK	DDC - M32, Black Anodized
DDC-32CL	DDC - M32, Clear Anodized
DDC-62BK	DDC - M62, Black Anodized
DDC-62CL	DDC - M62, Clear Anodized
DDC-82BK	DDC - M82, Black Anodized
DDC-82CL	DDC - M82, Clear Anodized

SECURITRON®
ASSA ABLOY

ACCESSORIES

for Magalock®

HHD / HHSL / HHSR / HVD » FULL LENGTH HOUSINGS

- Vertical or horizontal configurations
- Fit one or two locks (not included)
- SLR = Single Left Hand Reverse
- SRR = Single Right Hand Reverse
- MagnaCare Lifetime Replacement No Fault Warranty

» MODELS

PART # | Description


HHD-32	Lock Housing for M32 - Dbl. Horizontal
HHD-62	Lock Housing for M62 - Dbl. Horizontal
HHD-82	Lock Housing for M82 - Dbl. Horizontal
HHSL-32	Lock Housing for M32 - SLR Horizontal
HHSL-62	Lock Housing for M62 - SLR Horizontal
HHSL-82	Lock Housing for M82 - SLR Horizontal
HHSR-32	Lock Housing for M32 - SRR Horizontal
HHSR-62	Lock Housing for M62 - SRR Horizontal
HHSR-82	Lock Housing for M82 - SRR Horizontal
HVD-32	Lock Housing for M32 - Dbl. Vertical
HVD-62	Lock Housing for M62 - Dbl. Vertical
HVD-82	Lock Housing for M82 - Dbl. Vertical

Reference the table below. Indicate size when ordering.



Model	A	B	C	Max Length*
HHD-32	1.75"	2.1"	2.35"	96"
HHD-62	2.1"	2.6"	3.5"	96"
HHD-82	2.1"	2.6"	3.5"	96"
HHSL-32	1.75"	2.1"	2.35"	48"
HHSL-62	2.1"	2.6"	3.5"	48"
HHSL-82	2.1"	2.6"	3.5"	48"
HHSR-32	1.75"	2.1"	2.35"	48"
HHSR-62	2.1"	2.6"	3.5"	48"
HHSR-82	2.1"	2.6"	3.5"	48"
HVD-32	1.75"	2.1"	2.35"	96"
HVD-62	2.1"	2.6"	3.5"	96"
HVD-82	2.1"	2.6"	3.5"	96"

*Full length housings are individually manufactured to custom specifications up to the maximum length shown.



HHD Horizontal Housing

SECURITRON®
ASSA ABLOY