



*Ideal for ANSI 2-3/4" cut-outs*

The V3 series offers real value, innovation, and flexibility in one compact product. With 9 different faceplate options, the V3 is a drop-in replacement for other manufacturers' electric strikes. Offering up to 1/4" of horizontal adjustability, the V3 is ideal for cylindrical locksets with 1/2" to 5/8" latchbolts, in medium duty applications.

# V3 Series

The **flexible, compact** electric strike solution

## Specifications


- ANSI/BHMA A156.31, Grade 2
- Patent pending

## Frame Application

- Metal
- Wood

## Electrical

- .20 Amps @ 12VDC/VAC
- .10 Amps @ 24VDC/VAC
- DC continuous duty
- AC intermittent duty






Diagram shown with Option 7

### Standard Features

- Standard Features
- Small strike body fits in many competitive cut-outs, with no modification to the frame
- 9 faceplate options, from 2-3/4"–9" long
- Accommodates 1/2" – 5/8" cylindrical latchbolt (5/8" with 1/8" door gap)
- Keeper shims for horizontal adjustment
- Static strength 1000 lbs.
- Dynamic strength 50 ft-lbs.
- Endurance 500,000 cycles
- Available in fail secure only
- Non-handed
- One-year limited warranty

### Finishes

- 630 » Satin stainless steel (Options 1-4)
- 606 » Satin brass (Options 1-4)
- 613 » Bronze toned (Options 1-4)
- 626 » Satin chrome (Options 5-7E)
- 606C » Gold (Option 5)



CYLINDRICAL  
LOCKSETS











GRADE 2



# V3 Series Faceplate Option Kits












**Operation:** After releasing the latchbolt, the keeper returns to the locked position

 <p>4-7/8" x 1-1/4"</p>	<p><b>Option 1</b></p> <p><b>For use with:</b> Cylindrical locksets. ANSI metal jamb installations.</p> <p><b>Retrofits:</b> RCI (4114, 7114), ROFU (1702, 1802) and TRINE (012, 2007, 2012).</p> <p>» ANSI/BHMA Numbers: E05031, E09322, E09323</p>	
 <p>4-7/8" x 1-1/4"</p>	<p><b>Option 1A</b></p> <p><b>For use with:</b> Cylindrical locksets. Metal frame installations with mounting tabs.</p> <p><b>Retrofits:</b> RCI (4104, 7104).</p> <p>» ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>7-15/16" x 1-7/16"</p>	<p><b>Option 2</b></p> <p><b>For use with:</b> Cylindrical locksets. Metal frame installations with mounting tabs.</p> <p><b>Retrofits:</b> RCI(4108, 7108), ROFU (1704, 1804) and TRINE (2002WR).</p> <p>» ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>6-7/8" x 1-1/4"</p>	<p><b>Option 3</b></p> <p><b>For use with:</b> Cylindrical locksets. Metal frame installations with mounting tabs.</p> <p><b>Retrofits:</b> RCI (4107, 7107), ROFU (1703, 1803) and TRINE (2678).</p> <p>» ANSI/BHMA Numbers: E09321, E09322, E09323</p>	

# V3 Series Faceplate Option Kits



**Operation:** After releasing the latchbolt, the keeper returns to the locked position

 <p>9" x 1-3/8"</p>	<p><b>Option 4</b>  <b>For use with:</b> Cylindrical locksets. Wood frame applications.  <b>Retrofits:</b> ANSI 9" x 1-3/8" cutouts.          » ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>3-1/2" x 1-3/8"</p>	<p><b>Option 5</b>  <b>For use with:</b> Cylindrical locksets. Wood frame installations.  <b>Retrofits:</b> TRINE 005.          » ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>7-15/16" x 1-7/16"</p>	<p><b>Option 6</b>  <b>For use with:</b> Cylindrical locksets. Metal frame or wood installations with mounting tabs.  <b>Retrofits:</b> ROFU 1509.          » ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>2-3/4" x 1-1/8"</p>	<p><b>Option 7</b>  <b>For use with:</b> Cylindrical locksets. Metal jamb installations.  <b>Retrofits:</b> ANSI/BHMA A156.115 2-3/4" cutouts.          » ANSI/BHMA Numbers: E09321, E09322, E09323</p>	
 <p>2-3/4" x 1-1/8"</p>	<p><b>Option 7E</b>  <b>For use with:</b> Cylindrical locksets. Extended lip for 'knockdown' style frame installations.  <b>Retrofits:</b> ANSI/BHMA A156.115 2-3/4" cutouts.          » ANSI/BHMA Numbers: E09321, E09322, E09323</p>	